TABLE 2
GROUNDWATER ELEVATION SUMMARY

JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. I096-509

MW-1

TOC Elevation	**972.09**	**Well Depth**	**23.60**
Ground Elevation	**972.29**	**Screen Length**	**10.00**

Date	Ground Water Depth TOC	Ground Water Elevation	Elevation Difference	Water In Well	Product Thickness
03/27/90	15.49	956.60		8.11	
06/22/90	14.31	957.78	1.18	9.29	0.27
09/25/90	12.38	959.71	1.93	11.22	1.15
12/13/90	14.01	958.08	-1.63	9.59	0.10
03/14/91	15.17	956.92	-1.16	8.43	NP
07/03/91	14.72	957.37	0.45	8.88	0.43
09/19/91	17.01	955.08	-2.29	6.59	0.20
01/21/92	15.30	956.79	1.71	8.30	0.11
03/02/92	15.28	956.81	0.02	8.32	0.04
07/21/92	14.89	957.20	0.39	8.71	0.06
09/30/92	17.62	954.47	-2.73	5.98	0.20
12/16/92	17.40	954.69	0.22	6.20	0.01
03/10/93	17.65	954.44	-0.25	5.95	NP
06/10/93	14.44	957.65	3.21	9.16	NP
09/09/93	13.33	958.76	1.11	10.27	NP
12/16/93	13.56	958.53	-0.23	10.04	NP
03/09/94	14.20	957.89	-0.64	9.40	NP
06/08/94	12.74	959.35	1.46	10.86	NP
10/06/94	11.48	960.61	1.26	12.12	NP
01/12/95	13.25	958.84	-1.77	10.35	NP
05/03/95	12.46	959.63	0.79	11.14	NP
06/29/95	12.71	959.38	-0.25	10.89	NP
09/19/95	12.55	959.54	-0.09	11.05	NP
12/28/95	NM	NM	NM	NM	NM
01/24/96	NM	NM	NM	NM	NM
02/19/96	12.99	959.10	NA	10.61	NP
03/27/96	9.32	962.77	3.67	14.28	NP
05/28/96	11.38	960.71	-2.06	12.22	NP
06/30/96	NM	NM	NM	NM	NM
09/30/96	13.02	959.07	NA	10.58	NP
11/09/96	12.39	959.70	0.63	11.21	NP
02/05/97	14.47	957.62	-2.08	9.13	NP
05/06/97	13.31	958.78	1.16	10.29	NP
08/12/97	13.74	958.35	-0.43	9.86	NP
11/18/97	13.27	958.82	0.47	10.33	NP
01/20/98	14.47	957.62	-1.20	9.13	NP
04/06/98	13.32	958.77	1.15	10.28	NP
08/10/98	11.29	960.80	2.03	12.31	NP
12/29/98	13.88	958.21	-2.59	9.72	NP
04/29/99	13.08	959.01	0.80	10.52	NP
08/10/99	12.52	959.57	0.56	11.08	NP
01/18/00	14.79	957.30	-2.27	8.81	NP
09/27/00	13.90	958.19	0.89	9.70	NP
05/01/01	12.90	959.19	1.00	10.70	NP
12/11/02	14.08	958.32	-0.87	9.92	NP
07/01/03	14.90	957.50	-0.82	9.10	NP
11/06/03	14.76	957.64	0.14	9.24	NP
02/10/04	15.35	957.05	-0.59	8.65	NP

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. I096-509

MW-2

TOC Elevation	**974.92**	**Well Depth**	**26.64**
Ground Elevation	**971.82**	**Screen Length**	**10.00**

Date	Ground Water Depth TOC	Ground Water Elevation	Elevation Difference	Water In Well	Product Thickness
03/27/90	18.52	956.40		8.12	NP
06/22/90	16.89	958.03	1.63	9.75	NP
09/25/90	14.24	960.68	2.65	12.40	NP
12/13/90	16.83	958.09	-2.59	9.81	NP
03/14/91	17.80	957.12	-0.97	8.84	NP
07/03/91	17.39	957.53	0.41	9.25	NP
09/19/91	18.46	956.46	-1.07	8.18	NP
01/21/92	17.68	957.24	0.78	8.96	NP
03/02/92	18.14	956.78	-0.46	8.50	NP
07/21/92	17.67	957.25	0.47	8.97	NP
09/30/92	19.50	955.42	-1.83	7.14	NP
12/16/92	20.53	954.39	-1.03	6.11	NP
03/10/93	20.38	954.54	0.15	6.26	NP
06/10/93	17.23	957.69	3.15	9.41	NP
09/09/93	16.15	958.77	1.08	10.49	NP
12/16/93	16.55	958.37	-0.40	10.09	NP
03/09/94	17.47	957.45	-0.92	9.17	NP
06/08/94	14.78	960.14	2.69	11.86	NP
10/06/94	14.39	960.53	0.39	12.25	NP
01/12/95	16.11	958.81	-1.72	10.53	NP
05/03/95	15.31	959.61	0.80	11.33	NP
06/29/95	15.40	959.52	-0.09	11.24	NP
09/19/95	15.04	959.88	0.36	11.60	NP
12/28/95	NM	NM	NM	NM	NM
01/24/96	15.88	959.04	NA	10.76	NP
02/19/96	15.94	958.98	-0.06	10.70	NP
03/27/96	15.48	959.44	0.46	11.16	NP
05/28/96	14.56	960.36	0.92	12.08	NP
06/30/96	14.12	960.80	0.44	12.52	NP
09/30/96	15.24	959.68	-1.12	11.40	NP
11/09/96	16.80	958.12	-1.56	9.84	NP
02/05/97	17.44	957.48	-0.64	9.20	NP
05/06/97	16.28	958.64	1.16	10.36	NP
08/12/97	16.71	958.21	-0.43	9.93	NP
11/18/97	16.22	958.70	0.49	10.42	NP
01/20/98	17.44	957.48	-1.22	9.20	NP
04/06/98	16.25	958.67	1.19	10.39	NP
08/10/98	14.18	960.74	2.07	12.46	NP
12/29/98	16.82	958.10	-2.64	9.82	NP
04/29/99	15.97	958.95	0.85	10.67	NP
08/10/99	15.49	959.43	0.48	11.15	NP
01/18/00	Broken				

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. I096-509

MW-3

TOC Elevation	**972.40**	**Well Depth**	**24.00**
Ground Elevation	**972.80**	**Screen Length**	**10.00**

Date	Ground Water Depth TOC	Ground Water Elevation	Elevation Difference	Water In Well	Product Thickness
03/27/90	16.56	955.84		7.44	
06/22/90	14.49	957.91	2.07	9.51	
09/25/90	11.72	960.68	2.77	12.28	
12/13/90	14.32	958.08	-2.60	9.68	
03/14/91	15.44	956.96	-1.12	8.56	
07/03/91	14.92	957.48	0.52	9.08	
09/19/91	16.03	956.37	-1.11	7.97	
03/02/92	15.26	957.14	0.77	8.74	
07/21/92	15.35	957.05	-0.09	8.65	
09/30/92	17.13	955.27	-1.78	6.87	
12/16/92	17.59	954.81	-0.46	6.41	
03/10/93	17.25	955.15	0.34	6.75	
06/10/93	14.74	957.66	2.51	9.26	
09/09/93	13.05	959.35	1.69	10.95	
12/16/93	14.05	958.35	-1.00	9.95	
03/09/94	16.23	956.17	-2.18	7.77	
06/08/94	13.40	959.00	2.83	10.60	
10/06/94	12.02	960.38	1.38	11.98	
01/12/95	13.64	958.76	-1.62	10.36	
05/03/95	12.86	959.54	0.78	11.14	
06/29/95	13.19	959.21	-0.33	10.81	
09/19/95	12.29	960.11	0.90	11.71	
02/19/96	11.32	961.08	0.97	12.68	
03/27/96	15.73	956.67	-4.41	8.27	
05/28/96	10.72	961.68	5.01	13.28	
06/30/96	10.19	962.21	0.53	13.81	
09/30/96	12.63	959.77	-2.44	11.37	
11/09/96	14.25	958.15	-1.62	9.75	
02/05/97	14.73	957.67	-0.48	9.27	
05/06/97	13.77	958.63	0.96	10.23	
08/12/97	14.29	958.11	-0.52	9.71	
11/18/97	13.63	958.77	0.66	10.37	
01/20/98	14.90	957.50	-1.27	9.10	
04/06/98	13.75	958.65	1.15	10.25	
08/10/98	11.64	960.76	2.11	12.36	
12/29/98	14.24	958.16	-2.60	9.76	
04/29/99	13.49	958.91	0.75	10.51	
08/10/99	12.99	959.41	0.50	11.01	
01/18/00	15.34	957.06	-2.35	8.66	
09/27/00	14.40	958.00	0.94	9.60	NP
05/01/01	13.32	959.08	1.08	10.68	
12/11/02	14.61	957.79	-1.29	9.39	
07/01/03	15.39	957.01	-0.78	8.61	
11/06/03	15.29	957.11		8.71	
02/10/04	Dry	Dry	Dry	Dry	

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. 1096-509

MW-4

TOC Elevation	**975.61**	**Well Depth**	**26.33**		
Ground Elevation	**973.04**	**Screen Length**	**10.00**		
Date	**Ground Water Depth TOC**	**Ground Water Elevation**	**Elevation Difference**	**Water In Well**	**Product Thickness**
03/27/90	18.99	956.62		7.34	
06/22/90	17.44	954.65	-1.97	8.89	
09/25/90	14.73	957.36	2.71	11.60	
12/13/90	17.37	954.72	-2.64	8.96	
03/14/91	18.44	953.65	-1.07	7.89	
07/03/91	17.94	954.15	0.50	8.39	
09/19/91	19.18	952.91	-1.24	7.15	
01/21/92	18.26	953.83	0.92	8.07	
03/02/92	18.67	953.42	-0.41	7.66	
07/21/92	18.36	953.73	0.31	7.97	
09/30/92	19.26	952.83	-0.90	7.07	
12/16/92	20.21	951.88	-0.95	6.12	
03/10/93	20.58	951.51	-0.37	5.75	
06/10/93	17.17	954.92	3.41	9.16	
09/09/93	16.30	955.79	0.87	10.03	
12/16/93	17.00	955.09	-0.70	9.33	
03/09/94	16.90	958.71	3.62	9.43	
06/08/94	16.27	959.34	0.63	10.06	
10/06/94	14.95	960.66	1.32	11.38	
01/12/95	16.65	958.96	-1.70	9.68	
05/03/95	15.89	959.72	0.76	10.44	
06/29/95	16.35	959.26	-0.46	9.98	
09/19/95	15.98	959.63	0.37	10.35	
01/24/96	15.56	960.05	0.42	10.77	
02/19/96	16.06	959.55	-0.50	10.27	
03/27/96	15.61	960.00	0.45	10.72	
05/28/96	13.72	961.89	1.89	12.61	
06/30/96	14.75	960.86	-1.03	11.58	
09/30/96	16.36	959.25	-1.61	9.97	
11/09/96	17.31	958.30	-0.95	9.02	
02/05/97	17.93	957.68	-0.62	8.40	
05/06/97	16.68	958.93	1.25	9.65	
08/12/97	17.09	958.52	-0.41	9.24	
11/18/97	16.69	958.92	0.40	9.64	
01/20/98	17.96	957.65	-1.27	8.37	
04/06/98	16.70	958.91	1.26	9.63	
08/10/98	14.85	960.76	1.85	11.48	
12/29/98	17.32	958.29	-2.47	9.01	
04/29/99	16.49	959.12	0.83	9.84	
08/10/99	15.96	959.65	0.53	10.37	
01/18/00	18.26	957.35	-2.30	8.07	
09/27/00	17.36	958.25	0.90	8.97	NP
05/01/01	16.36	959.25	1.00	9.97	
12/11/02	17.58	954.82	-4.43	6.42	
07/01/03	18.38	954.02	-0.80	5.62	
11/06/03	18.33	954.07	0.05	5.67	
02/10/04	18.83	953.57	-0.50	5.17	

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. I096-509

MW-5

TOC Elevation	**972.14**	**Well Depth**	**18.80**
Ground Elevation	**972.74**	**Screen Length**	**10.00**

Date	Ground Water Depth TOC	Ground Water Elevation	Elevation Difference	Water In Well	Product Thickness
09/25/90	13.72	961.89		5.08	
12/13/90	16.32	959.29	-2.60	2.48	
03/14/91	17.44	958.17	-1.12	1.36	
07/03/91	16.89	958.72	0.55	1.91	
09/19/91	15.73	959.88	1.16	3.07	
03/02/92	15.45	960.16	0.28	3.35	
07/21/92	15.19	960.42	0.26	3.61	
09/30/92	17.27	958.34	-2.08	1.53	
12/16/92	17.74	957.87	-0.47	1.06	
03/10/93	17.79	957.82	-0.05	1.01	
06/10/93	14.88	960.73	2.91	3.92	
09/09/93	13.64	961.97	1.24	5.16	
12/16/93	13.76	961.85	-0.12	5.04	
03/09/94	11.71	963.90	2.05	7.09	
06/08/94	11.85	963.76	-0.14	6.95	
10/06/94	11.54	964.07	0.31	7.26	
01/12/95	13.37	962.24	-1.83	5.43	
05/03/95	12.59	963.02	0.78	6.21	
06/29/95	12.88	962.73	-0.29	5.92	
09/19/95	11.82	963.79	1.06	6.98	
03/27/96	12.34	963.27	-0.52	6.46	
05/28/96	10.78	964.83	1.56	8.02	
06/30/96	10.93	964.68	-0.15	7.87	
09/30/96	11.43	964.18	-0.50	7.37	
11/09/96	13.94	961.67	-2.51	4.86	
02/05/97	14.67	960.94	-0.73	4.13	
05/06/97	13.44	962.17	1.23	5.36	
08/12/97	13.99	961.62	-0.55	4.81	
11/18/97	13.46	962.15	0.53	5.34	
01/20/98	14.68	960.93	-1.22	4.12	
04/06/98	13.50	962.11	1.18	5.30	
08/10/98	11.39	964.22	2.11	7.41	
12/29/98	14.07	961.54	-2.68	4.73	
04/29/99	13.27	962.34	0.80	5.53	
08/10/99	12.76	962.85	0.51	6.04	
01/18/00	14.98	960.63	-2.22	3.82	
09/27/00	14.15	961.46	0.83	4.65	NP
05/01/01	13.09	962.52	1.06	5.71	
12/11/02	14.37	958.03	-4.49	9.63	
07/01/03	15.14	957.26	-0.77	8.86	
11/06/03	15.10	957.30	0.04	8.90	
02/10/04	15.62	956.78	-0.52	8.38	

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. I096-509

MW-6

TOC Elevation	**971.48**	**Well Depth**	**15.65**		
Ground Elevation	**971.85**	**Screen Length**	**10.00**		
Date	**Ground Water Depth TOC**	**Ground Water Elevation**	**Elevation Difference**	**Water In Well**	**Product Thickness**
09/25/90	7.37	964.11		8.28	
12/13/90	9.57	961.91	-2.20	6.08	
03/14/91	10.30	961.18	-0.73	5.35	
07/03/91	9.72	961.76	0.58	5.93	
09/19/91	10.74	960.74	-1.02	4.91	
03/02/92	10.69	960.79	0.05	4.96	
07/21/92	10.35	961.13	0.34	5.30	
09/30/92	8.28	963.20	2.07	7.37	
12/16/92	10.75	960.73	-2.47	4.90	
03/10/93	12.65	958.83	-1.90	3.00	
06/10/93	8.23	963.25	4.42	7.42	
09/09/93	8.24	963.24	-0.01	7.41	
12/16/93	9.81	961.67	-1.57	5.84	
03/09/94	10.90	960.58	-1.09	4.75	
06/08/94	10.23	961.25	0.67	5.42	
10/06/94	7.55	963.93	2.68	8.10	
01/12/95	9.25	962.23	-1.70	6.40	
05/03/95	8.77	962.71	0.48	6.88	
06/29/95	9.14	962.34	-0.37	6.51	
09/19/95	9.73	961.75	-0.59	5.92	
02/19/96	10.66	960.82	-0.93	4.99	
03/27/96	10.21	961.27	0.45	5.44	
05/28/96	9.11	962.37	1.10	6.54	
06/30/96	8.60	962.88	0.51	7.05	
09/30/96	9.89	961.59	-1.29	5.76	
11/09/96	10.41	961.07	-0.52	5.24	
02/05/97	10.60	960.88	-0.19	5.05	
08/12/97	10.24	961.24	0.36	5.41	
11/18/97	10.30	961.18	-0.06	5.35	
01/20/98	11.42	960.06	-1.12	4.23	
04/06/98	10.00	961.48	1.42	5.65	
08/10/98	7.31	964.17	2.69	8.34	
12/29/98	10.46	961.02	-3.15	5.19	
04/29/99	9.53	961.95	0.93	6.12	
08/10/99	9.21	962.27	0.32	6.44	
01/18/00	11.75	959.73	-2.54	3.90	
09/27/00	10.70	960.78	1.05	4.95	NP
05/01/01	9.91	961.57	0.79	5.74	
12/11/02	10.56	961.84	0.27	13.44	
07/01/03	11.70	960.70	-1.14	12.30	
11/06/03	11.98	960.42	-0.28	12.02	
02/10/04	Ice Covered				

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. I096-509

MW-7

TOC Elevation	**974.73**	**Well Depth**	**19.93**		
Ground Elevation	**972.68**	**Screen Length**	**10.00**		
Date	**Ground Water Depth TOC**	**Ground Water Elevation**	**Elevation Difference**	**Water In Well**	**Product Thickness**
09/25/90	13.96	960.77		5.97	
12/13/90	16.81	957.92	-2.85	3.12	
03/14/91	17.87	956.86	-1.06	2.06	
07/03/91	17.30	957.43	0.57	2.63	
09/19/91	18.45	956.28	-1.15	1.48	
01/21/92	17.68	957.05	0.77	2.25	
03/02/92	18.12	956.61	-0.44	1.81	
07/21/92	17.78	956.95	0.34	2.15	
09/30/92	18.57	956.16	-0.79	1.36	
12/16/92	19.54	955.19	-0.97	0.39	
03/10/93	17.73	957.00	1.81	2.20	
06/10/93	16.39	958.34	1.34	3.54	
09/09/93	15.08	959.65	1.31	4.85	
12/16/93	16.47	958.26	-1.39	3.46	
03/09/94	16.96	957.77	-0.49	2.97	
06/08/94	15.60	959.13	1.36	4.33	
10/06/94	14.23	960.50	1.37	5.70	
01/12/95	15.83	958.90	-1.60	4.10	
05/03/95	15.26	959.47	0.57	4.67	
06/29/95	15.73	959.00	-0.47	4.20	
09/19/95	15.53	959.20	0.20	4.40	
01/24/96	15.77	958.96	-0.24	4.16	
02/19/96	15.61	959.12	0.16	4.32	
03/27/96	15.28	959.45	0.33	4.65	
05/28/96	14.98	959.75	0.30	4.95	
06/30/96	14.19	960.54	0.79	5.74	
11/09/96	16.73	958.00	-2.54	3.20	
08/12/97	16.67	958.06	0.06	3.26	
11/18/97	16.10	958.63	0.57	3.83	
01/20/98	17.35	957.38	-1.25	2.58	
04/06/98	16.26	958.47	1.09	3.67	
08/10/98	14.03	960.70	2.23	5.90	
12/29/98	16.72	958.01	-2.69	3.21	
04/29/99	15.98	958.75	0.74	3.95	
08/10/99	15.41	959.32	0.57	4.52	
01/18/00	17.70	957.03	-2.29	2.23	
09/27/00	16.80	957.93	0.90	3.13	NP
05/01/01	15.68	959.05	1.12	4.25	
12/11/02	NM	NM	NM	NM	
07/01/03	15.45	959.28	--	4.48	
11/06/03	17.82	956.91	-2.37	2.11	
02/10/04	18.35	956.38	-0.53	1.58	

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. I096-509

MW-8

TOC Elevation	**971.36**	**Well Depth**	**16.66**
Ground Elevation	**972.07**	**Screen Length**	**10.00**

Date	Ground Water Depth TOC	Ground Water Elevation	Elevation Difference	Water In Well	Product Thickness
09/25/90	10.56	960.80		6.10	
12/13/90	13.15	958.21	-2.59	3.51	
07/03/91	13.68	957.68	-0.53	2.98	
09/19/91	14.86	956.50	-1.18	1.80	
03/02/92	14.35	957.01	0.51	2.31	
07/21/92	14.01	957.35	0.34	2.65	
09/30/92	14.88	956.48	-0.87	1.78	
12/16/92	15.60	955.76	-0.72	1.06	
03/10/93	16.23	955.13	-0.63	0.43	
06/10/93	12.78	958.58	3.45	3.88	
09/09/93	11.73	959.63	1.05	4.93	
12/16/93	12.81	958.55	-1.08	3.85	
03/09/94	13.39	957.97	-0.58	3.27	
06/08/94	11.95	959.41	1.44	4.71	
10/06/94	10.54	960.82	1.41	6.12	
01/12/95	12.45	958.91	-1.91	4.21	
05/03/95	11.65	959.71	0.80	5.01	
06/29/95	11.94	959.42	-0.29	4.72	
09/19/95	11.93	959.43	0.01	4.73	
01/24/96	12.58	958.78	-0.65	4.08	
02/19/96	12.63	958.73	-0.05	4.03	
03/27/96	13.43	957.93	-0.80	3.23	
05/28/96	**ABANDONED**				

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. 1096-509

MW-9

TOC Elevation	**971.06**	**Well Depth**	**17.88**
Ground Elevation	**971.85**	**Screen Length**	**10.00**

Date	Ground Water Depth TOC	Ground Water Elevation	Elevation Difference	Water In Well	Product Thickness
09/25/90	10.08	960.98		7.80	
12/13/90	12.48	958.58	-2.40	5.40	
03/14/91	13.68	957.38	-1.20	4.20	
07/03/91	12.93	958.13	0.75	4.95	
09/19/91	14.15	956.91	-1.22	3.73	
01/21/92	13.77	957.29	0.38	4.11	
03/02/92	14.23	956.83	-0.46	3.65	
07/21/92	13.43	957.63	0.80	4.45	
09/30/92	13.88	957.18	-0.45	4.00	
12/16/92	15.00	956.06	-1.12	2.88	
06/10/93	11.76	959.30	3.24	6.12	
09/09/93	10.84	960.22	0.92	7.04	
10/06/94	10.08	960.98	0.76	7.80	
05/03/95	10.21	960.85	-0.13	7.67	
06/29/95	10.77	960.29	-0.56	7.11	
09/19/95	10.96	960.10	-0.19	6.92	
05/28/96	**ABANDONED**				

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. 1096-509

MW-10

TOC Elevation	**973.69**	**Well Depth**	**19.82**		
Ground Elevation	**971.94**	**Screen Length**	**10.00**		
Date	**Ground Water Depth TOC**	**Ground Water Elevation**	**Elevation Difference**	**Water In Well**	**Product Thickness**
09/25/90	12.92	960.77		6.90	
12/13/90	15.62	958.07	-2.70	4.20	
03/14/91	16.75	956.94	-1.13	3.07	
07/03/91	16.16	957.53	0.59	3.66	
01/21/92	16.56	957.13	-0.40	3.26	
03/02/92	17.02	956.67	-0.46	2.80	
07/21/92	16.61	957.08	0.41	3.21	
09/30/92	17.48	956.21	-0.87	2.34	
12/16/92	18.63	955.06	-1.15	1.19	
03/10/93	18.79	954.90	-0.16	1.03	
06/10/93	15.49	958.20	3.30	4.33	
09/09/93	14.30	959.39	1.19	5.52	
12/16/93	15.41	958.28	-1.11	4.41	
03/09/94	15.90	957.79	-0.49	3.92	
06/08/94	14.48	959.21	1.42	5.34	
10/06/94	13.08	960.61	1.40	6.74	
05/03/95	14.03	959.66	-0.95	5.79	
06/29/95	14.42	959.27	-0.39	5.40	
09/19/95	14.40	959.29	0.02	5.42	
01/24/96	14.81	958.88	-0.41	5.01	
02/19/96	14.74	958.95	0.07	5.08	
03/27/96	14.73	958.96	0.01	5.09	
05/28/96	**ABANDONED**				

TABLE 2
GROUNDWATER ELEVATION SUMMARY
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta No. 1096-509

MW-11

TOC Elevation	**972.21**	**Well Depth**	**20.50**
Ground Elevation	**972.69**	**Screen Length**	**10.00**

Date	Ground Water Depth TOC	Ground Water Elevation	Elevation Difference	Water In Well	Product Thickness
07/03/91	14.41	957.80		6.09	
09/19/91	15.66	956.55	-1.25	4.84	
01/21/92	15.18	957.03	0.48	5.32	
03/02/92	15.64	956.57	-0.46	4.86	
07/21/92	15.31	956.90	0.33	5.19	
09/30/92	15.47	956.74	-0.16	5.03	
12/16/92	16.30	955.91	-0.83	4.20	
03/10/93	16.72	955.49	-0.42	3.78	
06/10/93	13.00	959.21	3.72	7.50	
09/09/93	11.57	960.64	1.43	8.93	
03/09/94	14.31	957.90	-2.74	6.19	
06/08/94	12.72	959.49	1.59	7.78	
10/06/94	11.50	960.71	1.22	9.00	
01/12/95	13.04	959.17	-1.54	7.46	
05/03/95	12.50	959.71	0.54	8.00	
06/29/95	12.86	959.35	-0.36	7.64	
09/19/95	12.82	959.39	0.04	7.68	
01/24/96	13.27	958.94	-0.45	7.23	
02/19/96	13.26	958.95	0.01	7.24	
03/27/96	12.70	959.51	0.56	7.80	
05/28/96	**ABANDONED**				

NOTES:
NM = Not Measured
NA = Not Applicable
TOC = Top of Casing
TOC elevation and ground elevation measured from mean sea level
All units measured in feet.

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY INC
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. I096-509

MW-1

	Analytical Parameters								Phase I Biodegradation Parameters						
Parameter Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-benzene µg/L	Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	GRO µg/L	LEAD µg/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Total Iron ppm	Soluble Iron ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
03/27/90	***3300***	***12500***	***2800***	***17000***	NA	<1	64000	***280***							
09/25/90		PRODUCT						***360000***							
04/10/91	***14000***	***38000***	***5900***	***27000***	NA	***730***	750000	NA							
11/14/91		PRODUCT													
04/09/92		PRODUCT													
09/14/92		PRODUCT													
12/17/92		PRODUCT													
03/10/93	***14***	74	180	1700	***2770***	<1	21000	NA							
04/12/93	1.9	5.1	5.2	39	122	<1	1200	NA							
06/11/93	***170***	260	<1	650	***750***	57	4600	NA	3.0						
09/09/93	***330***	***1300***	230	1500	***780***	42	9500	NA	2.0						
12/16/93	***470***	***1200***	220	2700	***1420***	<1	13000	NA	2.0						
03/09/94	***310***	790	<100	2600	***1700***	***180***	52000	NA	6.0						
06/09/94	***120***	85	38	840	380	***82***	5700	NA							
10/06/94	***870***	120	<100	630	470	<100	3200	NA							
01/12/95	***2500***	350	110	1800	***820***	<200	7900	NA							
05/03/95	***1200***	300	150	1500	***1110***	***200***	8800	NA							
07/25/95	***180***	34	49	200	364	32	3500	NA	1.3						
10/17/95	***600***	440	280	1100	***590***	<20	7900	NA	2.0						
02/19/96	***170***	61	67	330	450	55	4800	NA	2.4						
04/30/96	***290***	120	81	380	410	***63***	4800	NA	NA						
11/19/96	***13***	7.3	8.5	17	85	28	1900	NA	2.9	-033	11.0	500	7.00	>10	10.0
02/05/97	***100***	15	16	25	67	13	1600	NA	0.6	-071	8.0	500	7.10	>10	10.0
05/06/97	***850***	360	140	460	343	<0.8	4400	NA	1.2	-120	15.0	300	7.10	>10	>10
08/12/97	***70***	29	45	120	221	37	1900	NA	3.8	-031	17.0	400	7.10	>10	>10
11/18/97	<0.13	<0.81	<3.0	<4.8	12	4.4	400	NA	9.2	028	11.0	700	7.70	4.0	2.0
01/20/98	<0.13	<0.16	<0.22	0.36	1.69	<0.16	55	NA	8.2	035	10.0	<100	7.90	3.0	1.0
04/06/98	***47***	75	7.5	30	9.8	<4.0	300	NA	0.8	142	12.0	200	7.90	1.0	0.6
08/10/98	***130***	2.8	13	38	20.6	<8.0	510	NA	0.2	-126	20.0	200	7.10	4.0	3.0
12/29/98	***1400***	170	200	230	154	<20	3000	NA	0.2	-142	NM	NM	NM	NM	NM
04/29/99	***1000***	110	150	250	196	44	3200	NA	0.2	-166	NM	NM	NM	NM	NM
08/10/99	***1400***	95	250	160	309	37	4700	NA	0.2	-144	NM	NM	NM	NM	NM
8/10/99 D	***1500***	110	260	180	312	43	4900	NA							
01/18/00	***910***	70	280	110	430	<16	NA	NA	1.9	-201	NM	NM	NM	NM	NM
09/27/00	***4800***	***1900***	***1100***	1500	***1140***	***79***	NA	3.5	0.3	-084	19.0	1216	7.40	10+	10+
05/01/01	***3500***	710	520	1300	***630***	<16	NA	NA	0.2	-125	NM	NM	NM	NM	NM
09/11/02	***5000***	***3800***	***960***	3700	***1190***	<8.0	NA	NA	0.3	NM	NM	NM	NM	NM	NM
12/11/02	***3600***	***2500***	650	2800	***950***	<8.0	NA	NA	0.2	-095	NM	NM	NM	NM	NM
07/01/03	***5900***	***4100***	***1000***	3400	***1150***	24	NA	NA	0.2	NM	NM	NM	NM	NM	NM
11/06/03	***2290***	***1410***	***498***	1730	***852***	13.8	NA	NA	0.2	NM	NM	NM	NM	NM	NM
02/10/04	***1900***	***1200***	***540***	1700	***810***	<9.2	NA	NA	0.1	NM	NM	NM	NM	NM	NM
02/10/04D	***1900***	***1200***	***540***	1700	***840***	<9.2	NA	NA		NM	NM	NM	NM	NM	NM

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. 1096-509

MW-2

	Analytical Parameters								Phase 1 Biodegradation Parameters						
Parameter	Benzene	Toluene	Ethyl-benzene	Xylenes	Total TMBs	MTBE	GRO	LEAD	DO	REDOX	Temp	Conductivity	pH	Total Iron	Soluble Iron
Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	ppm	milli Volts	°C	µmhos/cm		ppm	ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
03/27/90	***1200***	***1700***	***1200***	***4300***	NA	<1	2500	0							
09/25/90	***5.7***	2.3	4.8	9	NA	<1	<50	0							
03/14/91	<1	<1	<1	<3	NA	<1	<50	NA							
11/14/91	1.1	<1	1.4	<3	<1.0	4.6	55	NA							
04/09/92	<1	<1	<1	2.6	1.4	<1	<50	NA							
09/14/92	<1	<1	<1	<3	<1.0	2.5	<50	NA							
12/17/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
03/10/93	<1	<1	<1	<3	<1.0	<1	<50	NA							
04/12/93	NS	NS	NS	NS	NS	NS	NS	NS							
06/11/93	<1	<1	<1	<3	<1.0	<1	<50	NA	8.0						
09/09/93	<1	<1	<1	<3	<1.0	<1	<50	NA	5.0						
12/16/93	<1	<1	<1	<3	<1.0	<1	<50	NA	2.0						
03/09/94	<1	<1	<1	<3	<1.0	3.9	<50	NA	6.0						
06/09/94	<1	<1	<1	<3	<1.0	12	<50	NA							
10/06/94	<1	<1	<1	<3	<1.0	11	<50	NA							
01/12/95	<1	<1	<1	<3	<1.0	22	<50	NA							
05/03/95	<1	<1	<1	<2	2.2	9	<50	NA							
07/25/95	<1	<1	<1	<2	<1.0	32	<50	NA	10.0						
10/17/95	<1	<1	<1	<2	1.1	16	<50	NA	8.8						
01/24/96	<1	<1	<1	<2	<1.0	41	<50	NA	12.1						
04/30/96	<1	<1	<1	<2	<1.0	50	<50	NA	NA						
11/19/96	NS*	NS	NS	NS	NS	NS	NS	NS	7.9						
02/05/97	NS	NS	NS	NS	NS	NS	NS	NS	7.6	162					
05/06/97	NS	NS	NS	NS	NS	NS	NS	NS	10.3	087					
08/12/97	<0.13	<0.20	<0.22	<0.23	<0.29	17	<50	NA	8.9	080	18.0	400	7.90	0.4	0.2
11/18/97	NS	NS	NS	NS	NS	NS	NS	NS	8.4	035	NM	NM	NM	NM	NM
01/20/98	<0.13	<0.20	<0.22	<0.23	<0.29	8.3	<50	NA	7.7	037	10.0	300	7.90	1.0	0.6
04/06/98	0.15	<0.20	<0.22	0.29	0.3	12	<50	NA	3.6	113	10.0	100	7.90	2.0	0.3
08/10/98	<0.13	<0.20	<0.22	<0.23	<0.29	9.8	<50	NA	3.4	185	20.0	500	7.80	1.0	0.2
12/29/98	0.79	0.36	0.3	1	0.73	8.4	<50	NA	1.9	058	NM	NM	NM	NM	NM
04/29/99	<0.13	<0.20	<0.22	<0.23	<0.29	0.93	<50	NA	1.0	153	NM	NM	NM	NM	NM
08/10/99	<0.13	<0.20	<0.22	<0.23	<0.29	0.78	<50	NA	1.1	123+	NM	NM	NM	NM	NM
	Monitoring Well Damaged														

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. I096-509

MW-3

	Analytical Parameters								Phase I Biodegradation Parameters						
Parameter	Benzene	Toluene	Ethyl-benzene	Xylenes	Total TMBs	MTBE	GRO	LEAD	DO	REDOX	Temp	Conductivity	pH	Total Iron	Soluble Iron
Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	ppm	milli Volts	°C	µmhos/cm		ppm	ppm
NR 140 ES	*5*	*1000*	*700*	*10000*	*480*	*60*		*15*							
03/27/90	*8700*	*33000*	*4800*	*23000*	NA	*4100*	46000	*170*							
09/25/90	*37000*	*47000*	*5000*	*21000*	NA	*210000*	140000	0							
03/14/91	*8900*	*42000*	*5400*	*27000*	NA	*20000*	240000	NA							
11/14/91	*6000*	*7900*	*840*	5300	*3180*	*33000*	110000	NA							
04/09/92	*35000*	730	*1400*	*14000*	*3800*	*61000*	110000	NA							
09/14/92	*31000*	*35000*	*2400*	*13000*	*2080*	*70000*	120000	NA							
12/17/92	*1200*	*5400*	*5400*	3000	*540*	*1300*	16000	NA							
03/10/93	*84*	*2200*	360	4000	*1130*	*1200*	13000	NA							
04/12/93	NS	NS	NS	NS	NS	NS	NS	NS							
06/11/93	*140*	82	<1	290	<1.0	*3600*	2500	NA	3.0						
09/09/93	*18000*	*31000*	*2000*	*12000*	*2410*	*520*	78000	NA	2.0						
12/16/93	*610*	580	480	5400	*1780*	*66*	12000	NA	2.0						
03/09/94	<1	1.3	<1	5.5	3.4	3	<50	NA	6.0						
06/09/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
10/06/94	*70*	21	4.6	140	21.8	6.7	520	NA							
01/12/95	*68*	22	7.5	140	39.9	5.8	460	NA							
05/03/95	*1500*	450	270	3300	*950*	*99*	9800	NA							
07/25/95	<1	<1	<1	<1	<1.0	6.8	<50	NA	10.4						
10/17/95	<1	<1	<1	<1	<1.0	<4	<50	NA	10.6						
02/19/96	<1	<1	<1	<1	<1.0	<4	<50	NA	8.6						
04/30/96	<1	<1	<1	<1	<1.0	<4	<50	NA	NA						
11/19/96	NS	NS	NS	NS	NS	NS	NS	NS	4.8						
02/05/97	NS	NS	NS	NS	NS	NS	NS	NS	0.9	061					
05/06/97	NS	NS	NS	NS	NS	NS	NS	NS	3.2	042					
08/12/97	1.3	0.44	0.24	3.5	2.56	<0.16	72	NA	2.9	016	18.0	600	7.40	7.0	3.0
11/18/97	NS	NS	NS	NS	NS	NS	NS	NS	7.8	023	NM	NM	NM	NM	NM
01/20/98	<0.13	0.3	<0.22	<0.23	0.41	11	<50	NS	9.3	042	10.0	100	7.90	10.0	1.0
04/06/98	<1.5	<0.20	<0.22	0.77	0.62	6.1	<50	NA	2.4	129	12.0	200	7.70	1.0	0.4
08/10/98	*16*	0.35	<0.22	1.5	0.34	<0.16	<50	NA	0.3	-058	19.0	400	7.10	7.0	6.0
12/29/98	*120*	6.4	25	170	63	31	600	NA	0.3	-071	NM	NM	NM	NM	NM
04/29/99	*34*	4	2.9	44	13.8	6.8	180	NA	0.2	-144	NM	NM	NM	NM	NM
08/10/99	*23*	0.87	2.4	14	4.7	1.1	93	NA	0.2	-051	NM	NM	NM	NM	NM
01/18/00	DRY								DRY						
09/27/00	*2500*	*2000*	410	3800	*980*	26	NA	NA	0.3	014	16.2	1710	6.68	10+	10+
05/01/01	*21*	5.6	4.2	28	11.6	<0.32	NA	NA	0.3	021	NM	NM	NM	NM	NM
09/11/02	*160*	6.2	33	93	42	<0.16	NA	NA	1.1	NM	NM	NM	NM	NM	NM
12/11/02	*5400*	*5400*	37	9200	*1390*	<16	NA	NA	2.0	-002					
07/01/03	*2000*	*1800*	180	1800	328	<9.2	NA	NA	1.6	NM	NM	NM	NM	NM	NM
11/07/03	*3510*	*2300*	993	7810	1292	11.4	NA	NA	1.5	NM	NM	NM	NM	NM	NM

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY INC
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. 1096-509

MW-4

	Analytical Parameters								Phase I Biodegradation Parameters						
Parameter Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-benzene µg/L	Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	GRO µg/L	LEAD µg/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Total Iron ppm	Soluble Iron ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
03/27/90	***130***	950	***650***	2200	NA	<1	1200	***21***							
09/25/90	***960***	***3800***	***850***	2800	NA	<1	15000	0							
03/14/91	***1000***	***1700***	***600***	1500	NA	<1	25000	NA							
11/14/91	***1400***	***2300***	***830***	2600	85	16	35000	NA							
04/09/92	***420***	***1100***	***300***	1100	65	<1	7100	NA							
09/15/92	***1300***	***2200***	***720***	2200	57	1	14000	NA							
12/17/92	<1	<1	1.3	<3	<1.0	<1	<50	NA							
03/10/93	<1	<1	<1	<3	<1.0	<1	<50	NA							
04/12/93	NS	NS	NS	NS	NS	NS	NS	NS							
06/11/93	***440***	***2100***	540	2400	57	35	12000	NA	2.0						
09/09/93	***420***	710	540	1500	53	<1	7000	NA	2.0						
12/16/93	<1	26	48	120	35	<1	2000	NA	2.0						
03/09/94	***8.7***	13	<1	7.4	3.2	35	210	NA	6.0						
06/09/94	<1	1.7	3.9	8.5	3.6	43	100	NA							
10/06/94	***380***	180	350	1500	***670***	<100	9000	NA							
01/12/95	***460***	300	450	790	***510***	<10	6600	NA							
05/03/95	***460***	560	320	1000	365	<20	5500	NA							
07/25/95	<1	<1	<1	<1	4.5	4.9	140	NA	10.2						
10/17/95	4.3	4	<1	6.5	6.3	5.2	54	NA	9.3						
01/24/96	***9.2***	36	23	120	55	<4	640	NA	NA						
04/30/96	***14***	25	21	80	38	14	720	NA	NA						
11/19/96	***13***	30	30	130	67	18	990	NA	2.4	156	11.0	300	7.40	0.8	0.2
02/05/97	***12***	14	26	100	69	<0.16	1800	NA	0.9	134	10.0	200	7.90	2.0	1.0
05/06/97	4.1	0.78	0.59	3.1	3.3	<0.16	240	NA	2.5	116	13.0	100	7.70	1.0	0.4
08/12/97	***20***	2.7	1.1	5	2.21	<0.16	180	NA	3.5	-005	17.0	200	7.40	0.4	0.2
11/18/97	***<18***	6.3	15	62	62	<0.32	1000	NA	8.3	015	13.0	300	7.80	0.6	0.3
01/20/98	***12***	5	13	46	41	<0.16	740	NA	7.3	033	10.0	<100	7.90	1.0	0.3
04/06/98	***18***	5.5	15	45	72	<3.0	1100	NA	0.8	160	12.0	100	7.80	2.0	1.0
08/10/98	***29***	13	19	99	126	<3.2	1800	NA	0.2	-101	20.0	200	7.10	10+	10.0
12/29/98	***35***	8.3	15	43	134	<3.2	2800	NA	0.2	-113	NM	NM	NM	NM	NM
04/29/99	***18***	4.9	2.3	5	2.3	<0.16	280	NA	0.2	-046	NM	NM	NM	NM	NM
08/10/99	***8.9***	1.1	1.9	1.6	0.81	1	220	NA	0.2	-034	NM	NM	NM	NM	NM
01/18/00	***72***	24	44	170	342	<16	NA	NA	2.2	-203	NM	NM	NM	NM	NM
09/27/00	***67***	7.8	11	23	18.7	<0.32	NA	NA	0.4	035	17.2	620	6.41	8.0	6.0
05/01/01	***62***	6.7	3.6	4.5	4.36	<0.16	NA	NA	0.5	088	NM	NM	NM	NM	NM
09/11/02	***92***	12	7.1	12	2.64	<0.16	NA	NA	0.4	NM	NM	NM	NM	NM	NM
12/11/02	***200***	35	50	150	280	<2.4	NM	NM	0.4	098	NM	NM	NM	NM	NM
07/01/03	***130***	9.5	12	28	25.9	<1.7	NM	NM	0.6	NM	NM	NM	NM	NM	NM
11/07/03	***193***	23.4	44	115	214.8	14.9	NM	NM	0.7	NM	NM	NM	NM	NM	NM
02/10/04	***61***	14	25	54	152	<1.3	NM	NM	0.5	NM	NM	NM	NM	NM	NM

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. I096-509

MW-5

	Analytical Parameters								Phase 1 Biodegradation Parameters						
Parameter	Benzene	Toluene	Ethyl-benzene	Xylenes	Total TMBs	MTBE	GRO	LEAD	DO	REDOX	Temp	Conductivity	pH	Total Iron	Soluble Iron
Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	ppm	milli Volts	°C	µmhos/cm		ppm	ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
09/25/90	***16000***	***40000***	***4900***	***18000***	NA	<1	130000	0							
03/14/91	***22000***	***33000***	***5200***	***17000***	NA	***3100***	200000	NA							
11/14/91	***21000***	***27000***	***3900***	***12000***	***1350***	***2400***	220000	NA							
04/09/92	***16000***	***22000***	***3300***	9900	***1170***	***1300***	64000	NA							
09/14/92	***15000***	***22000***	***3300***	***10000***	***1400***	***740***	55000	NA							
12/17/92	***8800***	***12000***	***1000***	5000	***860***	***9400***	41000	NA							
03/10/93	NS	NS	NS	NS	NS	NS	NS	NS							
04/12/93	4.5	1	7.4	28	23.3	23	200	NA							
06/11/93	<1	<1	<1	<3	<1.0	1.6	<50	NA	3.0						
09/09/93	***500***	***1000***	310	2000	***700***	<1	5900	NA	2.0						
12/16/93	***1600***	990	280	2100	***510***	<1	8400	NA	2.0						
03/09/94	<1	<1	<1	<3	<1.0	6.7	<50	NA	6.0						
06/09/94	<1	<1	<1	<3	<1.0	27	<50	NA							
10/06/94	***100***	66	25	300	100	<10	940	NA							
01/12/95	***66***	<1	5.6	14	6.2	2.6	220	NA							
05/03/95	4.5	<1	<1	<2	<1.0	<4	<50	NA							
07/25/95	<1	<1	<1	<1	<1.0	42	<50	NA	10.5						
10/17/95	<1	<1	<1	<1	1.9	<4	<50	NA	10.3						
01/24/96	NS	NS	NS	NS	NS	NS	NS	NS	NA						
04/30/96	<1	<1	<1	<1	1.9	<4	<50	NA	NA						
11/19/96	NS	NS	NS	NS	NS	NS	NS	NS	6.4						
02/05/97	NS	NS	NS	NS	NS	NS	NS	NS	3.4	155					
05/06/97	NS	NS	NS	NS	NS	NS	NS	NS	4.6	083					
08/12/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NA	4.8	076	17.0	300	7.70	0.4	0.2
11/18/97	NS	NS	NS	NS	NS	NS	NS	NS	8.4	034	NM	NM	NM	NM	NM
01/20/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NA	8.1	045	10.0	<100	7.90	3.0	0.1
04/06/98	<0.13	<0.20	<0.22	<0.23	0.26	8.3	<50	NA	1.3	165	12.0	100	7.90	1.0	0.2
08/10/98	0.16	<0.20	<0.22	0.47	0.22	<0.16	<50	NA	0.7	098	21.0	200	7.10	0.6	0.3
12/29/98	0.21	<0.20	<0.22	0.68	0.36	<0.16	<50	NA	1.0	047	NM	NM	NM	NM	NM
04/29/99	***8.1***	<0.20	<0.22	0.33	0.23	<0.16	<50	NA	0.3	-003	NM	NM	NM	NM	NM
08/10/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NA	0.5	017+	NM	NM	NM	NM	NM
01/18/00	***130***	0.78	6	30	33.5	<0.32	NA	NA	2.5	129	NM	NM	NM	NM	NM
09/27/00	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	0.4	105	17.6	724	5.96	0.4	0.2
09/27/00 D	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA							
05/01/01	***28***	0.36	0.54	3.7	1.6	1.8	NA	NA	0.5	076	NM	NM	NM	NM	NM
09/11/02	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	0.4	NM	NM	NM	NM	NM	NM
12/11/02	***1600***	160	150	760	430	<3.2	NA	NA	0.5	057					
07/01/03	***2300***	120	160	390	151	<6.0	NA	NA	0.5	NM	NM	NM	NM	NM	NM
11/07/03	***9730***	817	693	1310	655	53.8	NA	NA	0.4	NM	NM	NM	NM	NM	NM
02/10/04	***7900***	510	540	620	175	<9.0	NA	NA	0.2	NM	NM	NM	NM	NM	NM

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. I096-509

MW-6

	Analytical Parameters								Phase I Biodegradation Parameters						
Parameter	Benzene	Toluene	Ethyl-benzene	Xylenes	Total TMBs	MTBE	GRO	LEAD	DO	REDOX	Temp	Conductivity	pH	Total Iron	Soluble Iron
Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	ppm	milli Volts	°C	µmhos/cm		ppm	ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
09/25/90	<1	<1	<1	<3	NA	3.3	<50	0							
03/14/91	<1	1.4	<1	2.8	NA	5.3	53	NA							
11/14/91	<1	<1	<1	<3	2.2	<1	29	NA							
04/09/92	<1	<1	<1	2.5	7.7	<1	<50	NA							
09/15/92	<1	<1	<1	<3	6.6	<1	<50	NA							
12/17/92	<1	<1	<1	<3	<1.0	<1	60	NA							
03/10/93	<1	<1	<1	<3	1.1	<1	<50	NA							
04/12/93	NS	NS	NS	NS	NS	NS	NS	NS							
06/11/93	<1	<1	<1	<3	<1.0	<1	<50	NA	10.0						
09/09/93	<1	<1	<1	<3	<1.0	<1	<50	NA	5.0						
12/16/93	<1	<1	<1	<3	<1.0	<1	<50	NA	5.0						
03/09/94	<1	<1	<1	<3	<1.0	<1	<50	NA	6.0						
06/09/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
10/06/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
01/12/95	<1	<1	<1	<3	<1.0	<1	<50	NA							
05/03/95	<1	<1	<1	<2	<1.0	<4	<50	NA							
07/25/95	<1	<1	<1	<2	<1.0	<4	<50	NA	5.1						
10/17/95	<1	<1	<1	<2	<1.0	<4	<50	NA	5.4			-			
01/24/96	NS	NS	NS	NS	NS	NS	NS	NS	NA						
04/30/96	<1	<1	<1	<2	<1.0	<4	<50	NA	NA						
11/19/96	NS	NS	NS	NS	NS	NS	NS	NS	4.7						
02/05/97	NS	NS	NS	NS	NS	NS	NS	NS	4.7	178					
05/06/97	NS	NS	NS	NS	NS	NS	NS	NS	NA						
08/12/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NA	8.3	040	17.0	600	7.40	0.3	0.2
11/18/97	NS	NS	NS	NS	NS	NS	NS	NS	5.8	044	NM	NM	NM	NM	NM
01/20/98	NS	NS	NS	NS	NS	NS	NS	NS	4.3	024	NM	NM	NM	NM	NM
04/06/98	NS	NS	NS	NS	NS	NS	NS	NS	2.7	117	NM	NM	NM	NM	NM
08/10/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NA	3.5	189	21.0	800	7.90	0.8	0.4
12/29/98	0.15	0.54	<0.22	0.79	0.32	<0.16	<50	NA	1.8	073	NM	NM	NM	NM	NM
04/29/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NA	0.8	162	NM	NM	NM	NM	NM
08/10/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NA	1.0	116+	NM	NM	NM	NM	NM
01/18/00	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	7.7	125	NM	NM	NM	NM	NM
09/27/00	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	3.3	043	18.3	NM	8.14	1.0	0.6
12/11/02	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
11/07/03	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
02/10/04	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. I096-509

MW-7

	Analytical Parameters								Phase 1 Biodegradation Parameters						
Parameter	Benzene	Toluene	Ethyl-benzene	Xylenes	Total TMBs	MTBE	GRO	LEAD	DO	REDOX	Temp	Conductivity	pH	Total Iron	Soluble Iron
Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	ppm	milli Volts	°C	µmhos/cm		ppm	ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
09/25/90	<1	<1	<1	<3	NA	<1	<50	0							
03/14/91	<1	<1	<1	<3	NA	<1	<50	NA							
11/14/91	<1	<1	<1	<3	<1.0	<1	<50	NA							
04/09/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
09/15/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
12/17/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
03/10/93	NS	NS	NS	NS	NS	NS	NS	NS							
04/12/93	<1	<1	<1	<3	<1.0	<1	<50	NA							
06/11/93	<1	<1	<1	<3	<1.0	<1	<50	NA	5.0						
09/09/93	<1	<1	<1	<3	<1.0	<1	<50	NA	4.0						
12/16/93	<1	<1	<1	<3	<1.0	<1	<50	NA	4.0						
03/09/94	<1	<1	<1	<3	<1.0	<1	<50	NA	6.0						
06/09/94	<1	<1	<1	<3	<1.0	4.2	<50	NA							
10/06/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
01/12/95	<1	<1	<1	<3	<1.0	2.6	<50	NA							
05/03/95	<1	<1	<1	<2	<1.0	<4	<50	NA							
07/25/95	<1	<1	<1	<2	<1.0	<4	<50	NA	10.3						
10/17/95	<1	<1	<1	<2	<1.0	<4	<50	NA	9.3						
01/24/96	<1	<1	<1	<2	<1.0	<4	<50	NA	8.9						
04/30/96	<1	<1	<1	<2	<1.0	<4	<50	NA	NA						
11/19/96	NS	NS	NS	NS	NS	NS	NS	NS	6.5						
02/05/97	NS	NS	NS	NS	NS	NS	NS	NS	NA						
05/06/97	NS	NS	NS	NS	NS	NS	NS	NS	NA						
08/12/97	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NS	9.2	103	17.0	200	7.60	0.3	0.1
11/18/97	NS	NS	NS	NS	NS	NS	NS	NS	6.1	029	NM	NM	NM	NM	NM
01/20/98	NS	NS	NS	NS	NS	NS	NS	NS	5.1	020	NM	NM	NM	NM	NM
04/06/98	NS	NS	NS	NS	NS	NS	NS	NS	4.0	123	NM	NM	NM	NM	NM
08/10/98	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NS	4.0	198	19.0	400	7.60	0.2	0.1
12/29/98	0.21	<0.20	<0.22	0.39	<0.29	<0.16	<50	NS	2.1	091	NM	NM	NM	NM	NM
04/29/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NS	1.1	184	NM	NM	NM	NM	NM
08/10/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	NS	0.3	137+	NM	NM	NM	NM	NM
01/18/00	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NS	NS	7.8	186	NM	NM	NM	NM	NM
09/27/00	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	4.0	058	14.6	694	6.67	1.0	0.6
09/11/02	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	6.9	NM	NM	NM	NM	NM	NM
12/11/02	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
07/01/03	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM
11/06/03	<0.5	<0.5	<0.5	1.58	<1.0	<0.2	NA	NA	1.8	NM	NM	NM	NM	NM	NM
02/10/04	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NM	NM	NM	NM

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. I096-509

MW-8

	Analytical Parameters								Phase 1 Biodegradation Parameters						
Parameter Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-benzene µg/L	Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	GRO µg/L	LEAD µg/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Total Iron ppm	Soluble Iron ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
09/25/90	1	3.7	<1	11	NA	<1	<50	0							
04/10/91	<1	<1	<1	<3	NA	<1	33	NA							
11/14/91	4.4	18	18	220	276	15	2400	NA							
04/09/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
09/15/92	3.2	4.7	4.6	62	56	<1	410	NA							
12/17/92	***59***	20	21	430	***900***	<1	7300	NA							
03/10/93	NS	NS	NS	NS	NS	NS	NS	NS							
04/12/93	***37***	15	<10	220	438	<10	3900	NA							
06/11/93	<1	<1	<1	<3	<1.0	<1	<50	NA	4.0						
09/09/93	<1	<1	<1	<3	<1.0	<1	<50	NA	5.0						
12/16/93	2.3	<1	<1	8.2	7.9	<1	190	NA	6.0						
03/09/94	<1	<1	<1	<3	<1.0	<1	<50	NA	6.0						
06/09/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
10/06/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
01/12/95	<1	<1	<1	<3	<1.0	<1	<50	NA							
05/03/95	<1	<1	<1	<2	<1.0	<4	<50	NA							
07/25/95	<1	<1	<1	<2	<1.0	<4	<50	NA	7.2						
10/17/95	<1	<1	<1	<2	<1.0	<4	<50	NA	7.2						
01/24/96	<1	<1	<1	<2	<1.0	<4	<50	NA	5.2						
04/30/96	<1	<1	<1	<2	<1.0	<4	<50	NA							
11/19/96	ABANDONED								ABANDONED						

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. 1096-509

MW-9	Analytical Parameters								Phase I Biodegradation Parameters						
Parameter Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-benzene µg/L	Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	GRO µg/L	LEAD µg/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Total Iron ppm	Soluble Iron ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
09/25/90	<1	<1	<1	<3	NA	<1	<50	0							
03/14/91	<1	<1	<1	<3	NA	<1	<50	NA							
11/14/91	<1	<1	<1	<3	<1.0	<1	<50	NA							
04/09/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
09/14/92	NS	NS	NS	NS	NS	NS	NS	NS							
12/17/92	NS	NS	NS	NS	NS	NS	NS	NS							
03/10/93	NS	NS	NS	NS	NS	NS	NS	NS							
04/12/93	NS	NS	NS	NS	NS	NS	NS	NS							
06/11/93	NS	NS	NS	NS	NS	NS	NS	NS							
09/09/93	<1	<1	<1	<3	<1.0	<1	<50	NA	6.0						
12/16/93	NS	NS	NS	NS	NS	NS	NS	NS							
03/09/94	NS	NS	NS	NS	NS	NS	NS	NS							
06/09/94	NS	NS	NS	NS	NS	NS	NS	NS							
10/06/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
01/12/95	NS	NS	NS	NS	NS	NS	NS	NS							
05/03/95	NS	NS	NS	NS	NS	NS	NS	NS							
07/25/95	NS	NS	NS	NS	NS	NS	NS	NS							
10/17/95	<1	<1	<1	<2	<1.0	<4	<50	NA	2.6						
01/24/96	NS	NS	NS	NS	NS	NS	NS	NS							
04/30/96	NS	NS	NS	NS	NS	NS	NS	NS							
11/19/96	ABANDONED								ABANDONED						

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. 1096-509

MW-10	Analytical Parameters								Phase 1 Biodegradation Parameters						
Parameter Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-benzene µg/L	Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	GRO µg/L	LEAD µg/L	DO ppm	REDOX milli Volts	Temp °C	Conductivity µmhos/cm	pH	Total Iron ppm	Soluble Iron ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
09/25/90	<1	<1	<1	<3	NA	<1	<50	<1							
03/14/91	<1	<1	<1	<3	NA	<1	<50	NA							
11/14/91	<1	<1	<1	<3	<1.0	<1	<50	NA							
04/09/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
09/14/92	NS	NS	NS	NS	NS	NS	NS	NS							
12/17/92	NS	NS	NS	NS	NS	NS	NS	NS							
03/10/93	NS	NS	NS	NS	NS	NS	NS	NS							
04/12/93	NS	NS	NS	NS	NS	NS	NS	NS							
06/11/93	NS	NS	NS	NS	NS	NS	NS	NS							
09/09/93	<1	<1	<1	<3	<1.0	<1	<50	NA	6.0						
12/16/93	NS	NS	NS	NS	NS	NS	NS	NS							
03/09/94	NS	NS	NS	NS	NS	NS	NS	NS							
06/09/94	NS	NS	NS	NS	NS	NS	NS	NS							
10/06/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
01/12/95	NS	NS	NS	NS	NS	NS	NS	NS							
05/03/95	NS	NS	NS	NS	NS	NS	NS	NS							
07/25/95	NS	NS	NS	NS	NS	NS	NS	NS	10.0						
10/17/95	<1	<1	<1	<2	<1.0	<4	<50	NA	8.8						
01/24/96	NS	NS	NS	NS	NS	NS	NS	NS	7.7						
04/30/96	NS	NS	NS	NS	NS	NS	NS	NS							
11/19/96	ABANDONED								ABANDONED						

TABLE 3
GROUND WATER ANALYTICAL DATA
JOHNSON OF WISCONSIN TRANSPORT COMPANY, INC.
721 Superior Avenue
Tomah, Wisconsin
Delta Project No. I096-509

MW-11

	Analytical Parameters								Phase 1 Biodegradation Parameters						
Parameter	Benzene	Toluene	Ethyl-benzene	Xylenes	Total TMBs	MTBE	GRO	LEAD	DO	REDOX	Temp	Conductivity	pH	Total Iron	Soluble Iron
Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	ppm	milli Volts	°C	µmhos/cm		ppm	ppm
NR 140 ES	***5***	***1000***	***700***	***10000***	***480***	***60***		***15***							
07/15/91	<1	<1	<1	<3	<1.0	6.2	<50	NA							
11/14/91	<1	<1	<1	<3	<1.0	<1	<50	NA							
04/09/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
04/09/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
09/14/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
12/17/92	<1	<1	<1	<3	<1.0	<1	<50	NA							
03/10/93	<1	<1	<1	<3	<1.0	<1	<50	NA							
04/12/93	<1	<1	<1	<3	<1.0	<1	<50	NA							
06/11/93	<1	<1	<1	<3	<1.0	<1	<50	NA	6.0						
09/09/93	<1	<1	<1	<3	<1.0	<1	<50	NA	3.0						
12/16/93	NS	NS	NS	NS	NS	NS	NS	NS							
03/09/94	<1	<1	<1	<3	<1.0	<1	<50	NA	6.0						
06/09/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
10/06/94	<1	<1	<1	<3	<1.0	<1	<50	NA							
01/12/95	<1	<1	<1	<3	<1.0	<1	<50	NA							
05/03/95	<1	<1	<1	<2	<1.0	<4	<50	NA							
07/25/95	<1	<1	<1	<2	<1.0	<4	<50	NA	8.1						
10/17/95	<1	<1	<1	<2	<1.0	<4	<50	NA	8.0						
01/24/96	<1	<1	<1	<2	<1.0	<4	<50	NA	9.1						
04/30/96	<1	<1	<1	<2	<1.0	<4	<50	NA							
11/19/96	ABANDONED								ABANDONED						

NOTES:
TMB = Trimethylbenzene
MTBE = Methyl Tertiary Butyl Ether
GRO = Gasoline Range Organics.
Redox = Oxidation-reduction potential
NR 140 ES = Wisconsin Adm. Code Chapter NR 140 Enforcement Standard (Rev. 10/96)

µmhos/cm = micromhos per centimeter
NA = Not analyzed for indicated parameter
NM = Not Measured
NS = Not sampled