

Northern Environmental SM
Hydrologists • Engineers • Surveyors • Scientists
12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092
Phone: 800-776-7140 Fax: 262-241-8222
WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

SITE LAYOUT

WALL OIL COMPANY
MADISON, WISCONSIN

DATE 09/07/06	DRAWN BY: KAA	TASK NUMBER: 100	PROJECT NUMBER: WAL 01-2200-2829	FIGURE 1

DRAWING=S:\CAD\Mequon\PROJECTS\WAL\2829\06_0907_02.dwg TAB=Figure 1 USER=CHATON Oct 18, 2006 11:02 AM



Northern Environmental SM
Hydrologists • Engineers • Surveyors • Scientists
12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092
Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

AREAL EXTENT OF EXCAVATION & SOIL SAMPLE LOCATIONS

WALL OIL COMPANY
MADISON, WISCONSIN

DATE: 06/30/05	DRAWN BY: KAA	TASK NUMBER: 100	PROJECT NUMBER: WAL 01-2201-2829	FIGURE 2

DRAWING=S:\CAD\Mequon\PROJECTS\WAL\2829\05_0630.dwg TAB=Figure 2 USER=CHATON Oct 18, 2006 11:19 AM

Table 2 Summary of Product Recovery, Wall Oil Company, Madison, Wisconsin

Date	Free Product Measured (inches) MW1	Free Product Measured (inches) MW11	Free Product Recovered in Gallons (Approximate)
10/07/05	31.00	15.00	-
10/28/05	12.00	2.00	0.60
11/18/05	18.00	0.50	0.53
12/08/05	24.00	Sheen	0.60
02/09/06	12.00	Sheen	0.20
05/11/06	24.00	3.00	0.50
08/30/06	24.00	6.00	1.10
Total			**3.53**

Note:

- = not measured

Free proudct measurements determined using clear plastic bailer

Table 1 Soil Sample Field Screening and Laboratory Analytical Results, Wall Oil Company, Madison, Wisconsin

Sample Number	Sample Depth (feet)	PID Screening (iui)			Date Sampled	Odor	Soil Sample Description	Detected Volatile Organic Compounds Analytical Results (micrograms per kilogram)							
		Time Collected	Time Analyzed	Response				Benzene	Ethylbenzene	Methyl-tertiary-butyl-ether	Naphthalene	Toluene	1,2,4-Trimethyl-benzene	1,3,5-Trimethyl-benzene	Total Xylenes
Section NR 720.09, Wisconsin Administrative Code Residual Contaminant Level								5.5	2900	NE	NE	1500	NE	NE	4100
Section NR 746.06 Wisconsin Administrative Code Table 1 Values								8500	4600	NE	2700	38,000	83,000	11,000	42,000
Section NR 746.06 Wisconsin Administrative Code Table 2 Values								1100	NE	NE	NE	NE	NE	NE	NE
S1	6	0725	0745	384	06/28/05	Storng	Silty sand fill	-	-	-	-	-	-	-	-
S2	4	0800	0820	16	06/28/05	Slight	Silty sand fill	<25	<25	<25	<25	<25	<25	<25	<75
S3	8	0805	0825	110	06/28/05	Slight	Silty sand	200	120	<25	260	<25	190	140	210
S4	12	0808	0828	263	06/28/05	Moderate	Silty sand fill	-	-	-	-	-	-	-	-
S5	4	0820	0840	18	06/28/05	Slight	Silty sand fill	<25	<25	<25	<25	<25	<25	<25	<75
S6	8	0821	0841	16	06/28/05	Slight	Silty sand fill	34	<25	<25	<25	<25	<25	<25	<75
S7	4	0930	0950	10	06/28/05	Slight	Silty sand fill	<25	<25	<25	<25	<25	<25	<25	<75
S8	8	0935	0955	63	06/28/05	Slight	Silty sand fill	39	<25	<25	<25	<25	<25	<25	<75
S9	10	1020	1040	394	06/28/05	Strong	Silty sand fill	1700	2800	<250	*9000*	2600	19,000	6500	14,000
S10	12	1039	1059	269	06/28/05	Moderate	Silty sand	280	770	<25	780	160	5500	2000	3400
S11	4	1110	1130	25	06/28/05	Slight	Silty sand fill	-	-	-	-	-	-	-	-
S12	4	1115	1135	6	06/28/05	None	Silty sand fill	-	-	-	-	-	-	-	-
S13	10	1120	1140	410	06/28/05	Strong	Silty sand fill	-	-	-	-	-	-	-	-
S14	4	1135	1155	6	06/28/05	None	Silty sand fill	<25	<25	<25	<25	<25	<25	<25	<75
S15	8	1136	1156	433	06/28/05	Strong	Silty sand fill	2000	4300	<25	*3200*	760	14,000	5000	17,000
S16	4	1150	1210	27	06/28/05	Slight	Silty sand fill	31	<25	<25	<25	<25	28	<25	<75
S17	8	1151	1211	306	06/28/05	Strong	Silty sand fill	*14,000*	*40,000*	<250	*31,000*	25,000	*150,000*	*51,000*	*180,000*
S18	12	1251	1311	171	06/28/05	Moderate	Silty sand	*63,000*	*130,000*	<2500	*37,000*	*480,000*	*250,000*	*76,000*	*630,000*
S19	4	1300	1320	22	06/28/05	None	Silty sand fill	-	-	-	-	-	-	-	-
S20	8	1310	1330	142	06/28/05	Slight	Silty sand fill	-	-	-	-	-	-	-	-
S21	4	1400	1420	8	06/28/05	None	Silty sand fill	<25	<25	<25	71	<25	43	46	<75
S22	8	1409	1429	105	06/28/05	Slight	Silty sand fill	270	100	<25	130	<25	160	69	260

Note:

PID = photoionization detector
iui = instrument units as isobutylene
<x = compound not detected to a detection limit of x
- = not laboratory analyzed
J = analyte detected between the limit of detection and the limit of quantitation
NE = not established by Wisconsin Administrative Code

XXX = exceeds Section NR 720.09, Wisconsin Administrative Code residual contaminant levels

XXX = exceeds Secton NR 746.06, Wisconsin Administrative Code Table 1 Values

XXX = exceeds Section NR 746.06, Wisconsin Administrative Code Table 2 Values

October 18, 2006

Table 4 Groundwater Analytical Results, 2001 to Present; Wall Oil Company, Madison, Wisconsin

Well ID	Date Sampled Analyzed	Gasoline Range Organics (milligrams per liter	Lead	Relavant and Significant Volatile Organic Compounds (micrograms per liter)															
				Benzene	n-Butyl benzene	sec-Butyl benzene	cis-1,2-Di-chloroethene	trans-1,2-Di-chloroethene	Ethyl-benzene	Isopropyl-benzene	Methyl-tertiary butyl-ether (MTBE)	Naphthalene	n-Propyl-benzene	Tetrachloro-ethene	Toluene	1,1,1-Tri-cloroethane	Trichloro-ethene (TCE)	Trimethyl-benzenes	Xylenes
NR 140, Wis. Adm. Code PAL		NR	1.5	0.5	NE	NE	7	20	140	NE	12	8	NE	0.5	200	40	0.5	96	1000
NR 140, Wis. Adm. Code ES		NR	15	5	NE	NE	70	100	700	NE	60	40	NE	5	1000	200	5	480	10,000
MW1	Nov 01	5	-	8000	-	-	-	-	2400	-	<400	-	-	-	25,000	-	-	2200	11,600
	May 02	62	-	8400	-	-	-	-	3600	-	<400	-	-	-	30,000	-	-	3900	15,800
	May 03	48	-	5100	-	-	-	-	2100	-	<150	-	-	-	22,000	-	-	2590	12,900
	Nov 03	71	-	5700	-	-	-	-	2200	-	<150	-	-	-	24,000	-	-	2960	13,400
	10/07/05	-	*13*	5720	<61	<25	<27	<40	2050	75 "J"	<36	476	203	<45	19,400	<42	<37	2128	11,800
*	10/07/05	-	-	5940	<122	<50	<54	<80	2070	<112	<72	560	232 "J"	<90	22,600	<84	<74	2210	11,790
MW2	May 03	ND	-	ND	ND	ND	ND	ND	ND	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND
	Nov 03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10/07/05	-	-	<0.26	<0.61	<0.25	<0.27	<0.4	<0.3	<0.56	<0.36	<0.85	<0.56	<0.45	<0.52	<0.42	<0.37	<1.15	<1.17
MW3	Nov 01	0.44	-	ND	-	-	-	-	-	-	ND	-	-	-	*800*	-	-	-	-
	May 02	0.49	-	ND	-	-	-	-	ND	-	ND	-	-	-	1.5	-	-	ND	ND
	Nov 02	0.45	-	ND	-	-	-	-	ND	-	0.66	-	-	-	ND	-	-	ND	ND
	May 03	0.54	-	*3.2*	-	-	-	-	ND	-	5.1	-	-	-	ND	-	-	ND	ND
	Nov 03	0.31	-	*0.85*	-	-	-	-	ND	-	6.2	-	-	-	ND	-	-	ND	ND
	10/07/05	-	-	<13	<30.5	<12.5	<13.5	<20	<15	<28	<18	<42.5	<28	1490	<26	<21	<18.5	<57.5	<58.5
	02/09/06	-	-	<6.5	<15.25	<6.25	<6.75	<10	<7.5	<14	<9	<21.25	<14	1390	<13	<10.5	<9.25	<28.75	<29.25
	05/11/06	-	-	<8.5	<55	<38	<25	<32.5	<10	<49.5	<17	<110	<30.5	1340	<29.5	<21	<19.5	<68	<64
	08/30/06	-	-	<8.5	<55	<38	<25	<32.5	<10	<49.5	<17	<110	<30.5	1540	<29.5	<21	<19.5	<68	<64
MW4	May 01	63	-	21,000	-	-	-	-	1800	-	280	-	-	-	26,000	-	-	1450	*8700*
	Nov 01	57	-	19,000	-	-	-	-	1900	-	<400	-	-	-	24,000	-	-	1530	*9400*
	May 02	75	-	20,000	-	-	-	-	2700	-	<400	-	-	-	28,000	-	-	3000	12,100
	Nov 02	82	-	21,000	-	-	-	-	2600	-	<400	-	-	-	29,000	-	-	2570	12,200
	May 03	73	-	17,000	-	-	-	-	2100	-	<150	-	-	-	25,000	-	-	1680	11,000
	Nov 03	70	-	17,000	-	-	-	-	2000	-	<150	-	-	-	25,000	-	-	1700	10,700
	10/07/05	-	*6.1*	12,900	<61	<25	<27	<40	1370	<56	*36*	467	104 "J"	<45	17,000	<42	<37	1327	*7560*
	02/09/06	-	-	14,800	-	-	-	-	1370	-	<0.11	-	-	-	18,200	-	-	1250	*7280*
	05/11/06	-	-	18,600	-	-	-	-	1660	-	74 "J"	-	-	-	23,100	-	-	1365 "J"	*8860*
	08/30/06	-	-	14,900	-	-	-	-	1730	-	62 "J"	390	-	-	21,300	-	-	3520 "J"	*9090*
MW5	Nov 01	ND	-	*2.5*	-	-	-	-	0.69	-	ND	-	-	-	0.51	-	-	ND	ND
	Nov 02	1.1	-	600	-	-	-	-	110	-	*47*	-	-	-	29	-	-	47	124
	May 03	ND	-	ND	-	-	-	-	ND	-	0.7	-	-	-	ND	-	-	ND	ND
	Nov 03	ND	-	1.7	-	-	-	-	ND	-	0.71	-	-	-	ND	-	-	ND	ND
MW6	10/07/05		-	<0.26	<0.61	<0.25	<0.27	<0.4	<0.3	<0.56	<0.36	<0.85	<0.56	<0.45	<0.52	<0.42	<0.37	<1.15	<1.17
MW7	10/07/05		-	<0.26	<0.61	<0.25	<0.27	<0.4	<0.3	<0.56	<0.36	<0.85	<0.56	<0.45	<0.52	<0.42	<0.37	<1.15	<1.17
MW8	May 01	1.2	-	510	-	-	-	-	45	-	4.7	-	-	-	29	-	-	34.7	79
	Nov 01	1.7	-	1300	-	-	-	-	120	-	ND	-	-	-	82	-	-	*115*	258
	May 02	0.97	-	500	-	-	-	-	61	-	ND	-	-	-	110	-	-	69	169
	Nov 02	1.6	-	760	-	-	-	-	45	-	ND	-	-	-	33	-	-	17.9	61
	May 03	0.22	-	120	-	-	-	-	9.6	-	ND	-	-	-	3.2	-	-	3	8.7
	Nov 03	1.6	-	1200	-	-	-	-	55	-	ND	-	-	-	22	-	-	22	50

Table 4 Groundwater Analytical Results, 2001 to Present; Wall Oil Company, Madison, Wisconsin

Well ID	Date Sampled Analyzed	Gasoline Range Organics (milligrams per liter	Lead	Relavant and Significant Volatile Organic Compounds (micrograms per liter)															
				Benzene	n-Butyl benzene	sec-Butyl benzene	cis-1,2-Di-chloroethene	trans-1,2-Di-chloroethene	Ethyl-benzene	Isopropyl-benzene	Methyl-tertiary butyl-ether (MTBE)	Naphthalene	n-Propyl-benzene	Tetrachloro-ethene	Toluene	1,1,1-Tri-cloroethane	Trichloro-ethene (TCE)	Trimethyl-benzenes	Xylenes
NR 140, Wis. Adm. Code PAL		NR	1.5	0.5	NE	NE	7	20	140	NE	12	8	NE	0.5	200	40	0.5	96	1000
NR 140, Wis. Adm. Code ES		NR	15	5	NE	NE	70	100	700	NE	60	40	NE	5	1000	200	5	480	10,000
MW9	May 01	41	-	7600	-	-	-	-	2200	-	470	-	-	-	15,000	-	-	2040	*7500*
	Nov 01	30	-	6700	-	-	-	-	1700	-	<200	-	-	-	10,000	-	-	1680	*7000*
	May 02	75	-	18,000	-	-	-	-	3600	-	<400	-	-	-	29,000	-	-	3800	16,000
	Nov 02	53	-	12,000	-	-	-	-	2600	-	<200	-	-	-	20,000	-	-	1900	11,500
	May 03	52	-	12,000	-	-	-	-	2000	-	<150	-	-	-	14,000	-	-	1530	*7900*
	Nov 03	91	-	14,000	-	-	-	-	2700	-	<150	-	-	-	26,000	-	-	2990	12,900
	10/07/05	-	*11*	13,600	<122	<50	<54	<80	2260	<112	<72	742	246 "J"	<90	22,700	<84	<74	1874	10,780
	08/30/06	-	-	11,100	-	-	-	-	2200	-	<52	540	-	-	21,700	-	-	2140	11,800
MW10	May 03	-	-	ND	-	-	-	-	ND	-	ND	-	-	-	0.66	-	-	ND	ND
	10/07/05	-	-	<0.26	<0.61	<0.25	<0.27	<0.4	<0.3	<0.56	<0.36	<0.85	<0.56	<0.45	<0.52	<0.42	<0.37	<1.15	<1.17
	02/09/06	-	-	<24	-	-	-	-	<100	-	<22	-	-	-	<26	-	-	<222	<400
	05/11/06	-	-	<0.17	-	-	-	-	<1	-	<0.52	-	-	-	<0.78	-	-	<1.95	<2.84
	08/30/06	-	-	<0.17	-	-	-	-	<1	-	<0.52	<0.73	-	-	<0.78	-	-	<1.95	<2.84
MW11	Nov 01	40	-	9900	-	-	-	-	1800	-	<200	-	-	-	14,000	-	-	1710	*7600*
	May 02	47	-	8500	-	-	-	-	2200	-	<200	-	-	-	15,000	-	-	2500	*8700*
	Nov 02	67	-	7800	-	-	-	-	2300	-	<200	-	-	-	21,000	-	-	3490	13,200
	May 03	58	-	7200	-	-	-	-	1700	-	<150	-	-	-	18,000	-	-	2220	10,500
	Nov 03	120	-	6800	-	-	-	-	1700	-	<150	-	-	-	19,000	-	-	10,100	12,800
	10/07/05	-	-	8200	<122	<50	<54	<80	1830	<112	<72	562	210 "J"	<90	20,600	<84	<74	2054	10,060
MW12	May 01	100	-	11,000	-	-	-	-	5000	-	-	-	-	-	23,000	-	-	3640	14,200
	Nov 01	22	-	7100	-	-	-	-	1300	-	<200	-	-	-	9600	-	-	910	*3600*
	May 02	27	-	3100	-	-	-	-	1700	-	-	-	-	-	4800	-	-	1030	*4900*
	Nov 02	14	-	3000	-	-	-	-	940	-	-	-	-	-	3600	-	-	560	*2340*
	May 03	29	-	7500	-	-	-	-	1600	-	<60	-	-	-	5900	-	-	990	*5000*
	Nov 03	25	-	7700	-	-	-	-	1500	-	<60	-	-	-	2200	-	-	980	*5700*
	10/07/05	-	-	7520	<122	<50	<54	<80	1480	<112	<72	502 "J"	152 "J"	<90	3460	<84	<74	1114	*6440*
	02/09/06	-	-	35	-	-	-	-	8.3	-	<0.11	-	-	-	15.4	-	-	6.57	37.5
	05/11/06	-	-	8300					2150		<26	-			5600			1514	*9140*
	08/30/06	-	-	6200	-	-	-	-	1630	-	<52	309	-	-	5500	-	-	1238 "J"	*7060*
MW13	May 01	-	-	640	-	-	-	-	*260*	-	2.6	-	-	-	270	-	-	69	690
	Nov 01	-	-	1400	-	-	-	-	*640*	-	ND	-	-	-	1000	-	-	*255*	*1720*
	May 02	0.76	-	310	-	-	-	-	83	-	ND	-	-	-	120	-	-	14	174
	Nov 02	4.5	-	1100	-	-	-	-	*520*	-	ND	-	-	-	760	-	-	*156*	*1280*
	May 03	11	-	1900	-	-	-	-	740	-	ND	-	-	-	2500	-	-	*313*	*2360*
	Nov 03	7.6	-	1800	-	-	-	-	720	-	ND	-	-	-	1400	-	-	*227*	1750
	10/07/05	-	-	52	<0.61	<0.25	<0.27	<0.4	11	0.77 "J"	<0.36	2.9	1.1 "J"	<0.45	3.6	<0.42	<0.37	4.66 "J"	22.7
	02/09/06	-	-	153	-	-	-	-	47	-	<0.11	-	-	-	8.6	-	-	13.9	82
	05/11/06	-	-	182	-	-	-	-	63	-	<0.52	-	-	-	10.3	-	-	15.4 "J"	85.2
	08/30/06	-	-	330	-	-	-	-	129	-	<0.52	*27.8*	-	-	46	-	-	61.2	326
MW14	10/07/05		<0.7	<0.26	<0.61	<0.25	<0.27	<0.4	<0.3	<0.56	<0.36	<0.85	<0.56	<0.45	<0.52	<0.42	<0.37	<1.15	<1.17
	02/09/06		-	<0.12	-	-	-	-	<0.5	-	<0.11	-	-	-	0.74	-	-	<1.11	<2.0
	05/11/06	-	-	<0.17	-	-	-	-	<1	-	<0.52	-	-	-	<0.78	-	-	<1.95	<2.84
	08/30/06	-	-	<0.17	-	-	-	-	<0.2	-	<0.34	<2.2	-	-	<0.59	-	-	<1.36	<1.28

Table 4 Groundwater Analytical Results, 2001 to Present; Wall Oil Company, Madison, Wisconsin

Well ID	Date Sampled Analyzed	Gasoline Range Organics (milligrams per liter	Lead	Relavant and Significant Volatile Organic Compounds (micrograms per liter)															
				Benzene	n-Butyl benzene	sec-Butyl benzene	cis-1,2-Di-chloroethene	trans-1,2-Di-chloroethene	Ethyl-benzene	Isopropyl-benzene	Methyl-tertiary butyl-ether (MTBE)	Naphthalene	n-Propyl-benzene	Tetrachloro-ethene	Toluene	1,1,1-Tri-cloroethane	Trichloro-ethene (TCE)	Trimethyl-benzenes	Xylenes
NR 140, Wis. Adm. Code PAL		NR	1.5	0.5	NE	NE	7	20	140	NE	12	8	NE	0.5	200	40	0.5	96	1000
NR 140, Wis. Adm. Code ES		NR	15	5	NE	NE	70	100	700	NE	60	40	NE	5	1000	200	5	480	10,000
MW15	May 01	5.6	-	1600	-	-	-	-	*240*	-	ND	-	-	-	620	-	-	*110*	710
	Nov 01	1.6	-	870	-	-	-	-	*140*	-	ND	-	-	-	250	-	-	60	326
	May 02	9.6	-	2100	-	-	-	-	*590*	-	ND	-	-	-	2000	-	-	*351*	*1980*
	Nov 02	12	-	5100	-	-	-	-	730	-	<80	-	-	-	1500	-	-	*430*	*2240*
	May 03	16	-	6200	-	-	-	-	720	-	<60	-	-	-	990	-	-	*360*	*2660*
	Nov 03	28	-	12,000	-	-	-	-	1200	-	<75	-	-	-	2500	-	-	700	*4600*
	10/07/05	-	-	5290	<122	<50	<54	<80	*632*	<112	<72	226 "J"	<112	<90	1020	<84	<74	*342*	*2184*
	02/09/06	-	-	4800	-	-	-	-	*670*	-	<22	-	-	-	1300	-	-	*370*	*2650*
	05/11/06	-	-	3040	-	-	-	-	*470*	-	<26	-	-	-	1170	-	-	*329 "J"*	*1960*
	08/30/06	-	-	7700	-	-	-	-	970	-	<52	214 "J"	-	-	2360	-	-	638 "J"	*2040*
MW16	May 01	ND	-	ND	-	-	-	-	ND	-	1	-	-	-	ND	-	-	ND	ND
	Nov 01	ND	-	*1.6*	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	10/07/05	-	-	<0.26	<0.61	<0.25	<0.27	<0.4	<0.3	<0.56	<0.36	<0.85	<0.56	*1.33 "J"*	<0.52	<0.42	<0.37	<1.15	<1.17
	08/30/06	-	-	<0.17	-	-	-	-	<0.2	-	<0.34	<2.2	-	-	<0.59	-	-	<1.36	<1.28
MW17	10/07/05		-	<0.26	<0.61	<0.25	<0.27	<0.4	<0.3	<0.56	<0.36	<0.85	<0.56	*2.5*	<0.52	<0.42	*1.5*	<1.15	<1.17
MW18	May 01	0.66	-	*1.1*	-	-	-	-	5.3	-	*21*	-	-	-	ND	-	-	5.1	ND
	Nov 01	0.35	-	*1.1*	-	-	-	-	1.4	-	ND	-	-	-	ND	-	-	1.3	ND
	May 02	0.18	-	ND	-	-	-	-	1.9	-	*20*	-	-	-	ND	-	-	ND	ND
	Nov 02	0.28	-	*0.63*	-	-	-	-	0.63	-	*44*	-	-	-	ND	-	-	ND	ND
	May 03	0.27	-	*1*	-	-	-	-	3.9	-	ND	-	-	-	0.67	-	-	3.6	1.76
	Nov 03	0.87	-	*1.7*	-	-	-	-	13	-	7	-	-	-	3	-	-	59.68	22.4
	10/07/05	-	-	0.32 "J"	1.12 "J"	1.4	4.8	16	0.62 "J"	0.58 "J"	0.41 "J"	<0.85	0.95 "J"	19	<0.52	<0.42	22	<1.15	<1.17
PZ1	10/07/05		<0.7	8.5	<6.1	<2.5	<2.7	<4	6 "J"	<5.6	<3.6	<8.5	<5.6	<4.5	35	<4.2	<3.7	8.9 "J"	30.1 "J"
	02/09/06		-	<0.12	-	-	-	-	<0.5	-	<0.11	-	-	-	<0.13	-	-	<1.11	<2.0
	05/11/06	-	-	<0.17	-	-	-	-	<1	-	<0.52	-	-	-	<0.78	-	-	<1.95	<2.84
	08/30/06	-	-	0.255 "J	-	-	-	-	<1	-	<0.52	<0.73	-	-	<0.78	-	-	<1.95	<2.84
PZ2	10/07/05		-	<0.26	<0.61	<0.25	<0.27	<0.4	<0.3	<0.56	<0.36	<0.85	<0.56	16	<0.52	<0.42	<0.37	<1.15	<1.17
PZ3	May 03	ND	-	ND	-	-	-	-	ND	-	0.91	-	-	-	ND	-	-	ND	ND
	10/07/05		-	<0.26	<0.61	<0.25	0.6 "J"	<0.4	<0.3	<0.56	10	<0.85	<0.56	*1.38 "J"*	<0.52	0.49 "J"	<0.37	<1.15	<1.17

Key:

NR = not regulated
NE = not established by Wisconsin Administrative Code
- = not analyzed
ND = not detected
J = analyte detected between Limit of Detection and Limit of Quantitation
<x = not detected above laboratory Limit of Detection of X
* = duplicate sample

XXX = exceeds Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code) preventive action limit (PAL)

XXX = exceeds NR 140, Wis. Adm. Code enforcement standard (ES)

October 18, 2006